RESEARCH ARTICLE OPEN ACCESS

Energy Efficient Data Compression techniques in Wireless Sensor Networks: A State of Art Approach

L. Ramesh

Assistant Professor, DR GRD College of Science - India

ABSTRACT

Power utilization is a vital issue that affected the lifespan of wireless sensor networks (WSN). Numerous models are presented for solving this problem namely energy-efficient medium access control or routing protocol. Amongst individuals presented models, the data compression model is utilized for reducing broadcasted data on wireless channels. This model leads to a decrease in essential inter-node communication that is an important power consumer in WSNs. In this paper, a complete analysis of state-of-art data compression techniques in WSN is given. Initial, appropriate groups of conditions are determined for classifying predefining methods and to define that experimental data compression in WSN. Then, the particulars of every classified compression type are designated. Lastly, its efficiency, open problems, restrictions, and appropriate applications are analyzed and related depends on the condition of experimental data compression in WSNs.

Keywords: Base station, Compression ratio, Lossy compression, Wireless sensor network, Network lifetime.

I. INTRODUCTION

As of now, we are in the third generation of computer development called the universal registering time [1-3]. In this time, computers have started for disappearing into encompassing -articles and individuals may not realize that they are cooperating with a computer in their day-by-day life exercises [4, 5]. One of the vital advancements to help omnipresent figuring is wireless sensor networks (WSNs) [6]. WSNs are a blend of different sorts of sensors outfitted with little miniature regulator sheets called sensor nodes and wireless networks [7-10]. These sensor nodes are by and large self-organized and structure the WSN. The WSN framework can be utilized to screen the exercises of an objective and report occasions or data utilizing radio correspondence to a base station (BS) or sink node which assumes responsibility for preparing and sending that data by means of the Internet [11-13].

A few true applications are being examined and created utilizing WSN frameworks to permit the acknowledgment of omnipresent processing [14, 15]. Conspicuous models are home robotization frameworks [16], medical services checking frameworks [17], and climate observing for agribusiness or accuracy cultivating frameworks [18-20]. Home computerization frameworks empower home machines to collaborate shrewdly with its home. For instance, lights are turned on naturally when the proprietor opens a particular entryway [21, 22]. Medical care applications permit specialists to analyze patients in a clinic, yet in addition from any area. For exactness cultivating, a framework dependent on WSNs permits ranchers to screen, control, and deal with their homesteads proficiently and helpfully [23-25].

When planning a WSN framework, there are various difficulties which can be comprehensively grouped into three significant issues [26, 27]. In the first place, data the executives engineering must be intended to address data struggle and cooperation that happens when gathering data from numerous sensors [28]. Also, data misfortune must be limited. Second, sensor nodes are frequently arbitrarily fanned out over explicit areas and can work without human intercession. The disadvantage of this is that they are inclined to a wide range of vindictive assaults, which raise the significance of network security [29-31]. To keep correspondence secure, delicate information ought to be encoded and an association ought to be confirmed. Along these lines, key administration, which is an essential of encryption and verification, ought to be tended to painstakingly [32, 33]. At long last, since the sensor nodes in WSNs are powered by low voltage batteries and they are sent in the request for hundreds to thousands of nodes, supplanting and re-energizing the batteries of such countless nodes may practically be considered infeasible [34]. The last issue raises the significance of power utilization or power the executives in WSNs [35-40].

In this paper, a complete analysis of state-of-art data compression techniques in WSN is given. Initial, appropriate groups of conditions are determined for classifying predefining methods and to define that experimental data compression in WSN. Then, the particulars of every classified

compression type are designated. Lastly, its efficiency, open problems, restrictions, and appropriate applications are analyzed and related depends on the condition of experimental data compression in WSNs.

II. RELATED WORK

WSNs are asset limitations: restricted power supply, data transmission for correspondence, handling velocity, and memory space. One potential method of accomplishing greatest use of that asset is applying information compression on sensor information. Typically, handling information devours significantly minimum power than communicating information in wireless medium, so it is successful to apply information compression prior to sending information for lessening absolute power utilization by a sensor node. Nonetheless, existing pressure calculations are not relevant for sensor nodes as a result of their restricted asset [41]. Consequently, some compression models, which have been explicitly intended for WSNs, are introduced in this work: Coding by Ordering, Pipelined In-Network Compression, low-complexity video compression, and Distributed Compression. In this work, both DCT and DWT are examined and carried out utilizing TinyOS on TelosB equipment stage [42, 43]. The measurements utilized for execution assessment are peak signal-to-noise ratio (PSNR), compression ratio (CR), throughput, End-to-end (ETE) postponement, and battery lifespan. Additionally, we likewise assessed DCT and DWT in a solitary jump and in multi-bounce networks [44, 45]. Test results show that DWT beats DCT regarding PSNR, throughput, ETE postponement, and battery lifetime. In any case, DCT gives preferable CR over DWT. It presents a straightforward and effective information compression technique especially fit to be utilized on accessible business nodes of a WSN, where energy, memory, and computational assets are extremely restricted [46-48]. Some exploratory outcomes and examinations with, apparently, the only lossless compression model recently proposed in the writing to be inserted in sensor nodes and with two well-known compression techniques are appeared and explained.

It is proposed a Linear Programming structure for demonstrating dynamic information compression and decompression related to stream adjusting in WSNs [49, 50]. Utilizing the created system, we examined the sensor network lifespans for various network sizes with different information compression and stream adjusting procedures. Our outcomes show that neither packing all information nor keeping away from information compression totally can accomplish the longest conceivable network lifetime [51, 52]. Dynamic information change is appeared to accomplish fundamentally longer network lifetimes than the lifetimes got with the two unadulterated techniques above. It presents a novel lossless information compression technique in WSNs. Contrasted with existing WSN information compression methods, our proposed model isn't just productive yet in addition profoundly powerful for assorted WSN informational indexes with totally different attributes [53-55]. Utilizing different true WSN informational indexes, we show that the proposed technique altogether beats existing famous lossless compression techniques for WSNs like LEC and S-LZW. The strength of our calculation has been illustrated, and the knowledge is given. The energy utilization of our devised model is additionally dissected.

This work presents a hybrid information compression plot that fuses lossy and lossless compression in SCS dependent edge processing for addressing the expanding difficulties. Also, we propose another solid lossy compression technique DFan, in light of the work on Fan model with a high CR [56-58]. By presenting the information mediocre deviation, DFan changes single-factor dynamic into multifaceted dynamic, decreasing the error of lossy compression. This work proposes an exhibition investigation of the 2-way correspondence framework of SG in two test situations: with and without the utilization of a versatile information compression component [59, 60]. The correspondence framework is introduced intelligently and practically speaking, where a testbed is conveyed utilizing IEEE 802.11 correspondence advancements on the Message Queuing Telemetry Transport (MQTT) convention to address the correspondence foundation and investigate network execution utilizing the Wireshark instrument in a genuine situation.

III. CONCLUSION

In this paper, a complete analysis of state-of-art data compression techniques in WSN is given. Initial, appropriate groups of conditions are determined for classifying predefining methods and to define that experimental data compression in WSN. Then, the particulars of every classified compression W type are designated. Lastly, its efficiency, open problems, restrictions, and appropriate applications are analyzed and related depends on the condition of experimental data compression in WSNs.

REFERENCES

[1] Li, Linguo, et al. "Fuzzy multilevel image thresholding based on improved coyote

optimization algorithm." IEEE Access 9 (2021): 33595-33607.

[2] Gochhayat, S. P., Kaliyar, P., Conti, M., Tiwari, P., Prasath, V. B. S., Gupta, D., & Khanna, A. (2019). LISA: Lightweight context-aware IoT service architecture. Journal of cleaner production, 212, 1345-1356.

[3] Raveendran, A. P., Alzubi, J. A., Sekaran, R., & Ramachandran, M. A high performance scalable fuzzy based modified Asymmetric Heterogene Multiprocessor System on Chip (AHt-MPSOC) reconfigurable architecture. Journal of Intelligent & Fuzzy Systems, (Preprint), 1-12.

[4] Zhang, X., Mohanty, S. N., Parida, A. K., Pani, S. K., Dong, B., & Cheng, X. (2020). Annual and non-monsoon rainfall prediction modelling using SVR-MLP: an empirical study from Odisha. IEEE Access, 8, 30223-30233.

[5] Pustokhina, I. V., Pustokhin, D. A., Nguyen, P. T., Elhoseny, M., & Shankar, K. (2021). Multi-objective rain optimization algorithm with WELM model for customer churn prediction in telecommunication sector. Complex & Intelligent Systems, 1-13.

[6] Mansour, Romany Fouad, et al. "Artificial Intelligence and Internet of Things Enabled Disease Diagnosis Model for Smart Healthcare Systems." IEEE Access 9 (2021): 45137-45146.

[7] Sankhwar, S., Gupta, D., Ramya, K. C., Rani, S. S., Shankar, K., & Lakshmanaprabu, S. K. (2020). Improved grey wolf optimization-based feature subset selection with fuzzy neural classifier for financial crisis prediction. Soft Computing, 24(1), 101-110.

[8] Alzubi, J. A. (2020). Bipolar fully recurrent deep structured neural learning based attack detection for securing industrial sensor networks. Transactions on Emerging Telecommunications Technologies, e4069.

[9] Mohanty, S. N., Rejina Parvin, J., Vinoth Kumar, K., Ramya, K. C., Sheeba Rani, S., & Lakshmanaprabu, S. K. (2019). Optimal rough fuzzy clustering for user profile ontology based web page recommendation analysis. Journal of Intelligent & Fuzzy Systems, 37(1), 205-216.

[10] Nguyen, G. N., Le Viet, N. H., Elhoseny, M., Shankar, K., Gupta, B. B., & Abd El-Latif, A. A. (2021). Secure blockchain enabled Cyber–physical systems in healthcare using deep belief network with ResNet model. Journal of Parallel and Distributed Computing, 153, 150-160.

[11] Zhang, Yu-Hang, et al. "Investigating gene methylation signatures for fetal intolerance prediction." Plos one 16.4 (2021): e0250032.

[12] Gupta, D., & Ahlawat, A. K. (2019). Taxonomy of GUM and usability prediction using GUM multistage fuzzy expert system. Int. Arab J. Inf. Technol., 16(3), 357-363.

[13] Babu, M. V., Alzubi, J. A., Sekaran, R., Patan, R., Ramachandran, M., & Gupta, D. (2020). An Improved IDAF-FIT Clustering Based ASLPP-RR Routing with Secure Data Aggregation in Wireless Sensor Network. Mobile Networks and Applications, 1-9.

[14] Choudhury, S. S., Mohanty, S. N., & Jagadev, A. K. (2021). Multimodal trust based recommender system with machine learning approaches for movie recommendation. International Journal of Information Technology, 13(2), 475-482.

[15] Pustokhina, I. V., Pustokhin, D. A., Kumar Pareek, P., Gupta, D., Khanna, A., & Shankar, K. (2021). Energy-efficient cluster-based unmanned aerial vehicle networks with deep learning-based scene classification model. International Journal of Communication Systems, 34(8), e4786.

[16] Mansour, Romany F., and Nojood O. Aljehane. "An optimal segmentation with deep learning based inception network model for intracranial hemorrhage diagnosis." Neural Computing and Applications (2021): 1-13.

[17] Jain, R., Gupta, D., & Khanna, A. (2019). Usability feature optimization using MWOA. In International conference on innovative computing and communications (pp. 453-462). Springer, Singapore.

[18] Hamdoun, H., Nazir, S., Alzubi, J. A., Laskot, P., & Alzubi, O. A. (2021). Performance benefits of network coding for HEVC video communications in satellite networks. Iranian Journal of Electrical and Electronic Engineering, 1956-1956.

[19] Natarajan, Y., Kannan, S., & Mohanty, S. N. (2021). Survey of Various Statistical Numerical and Machine Learning Ontological Models on Infectious Disease Ontology. Data Analytics in Bioinformatics: A Machine Learning Perspective, 431-442.

[20] Kannan, S., Dhiman, G., Natarajan, Y., Sharma, A., Mohanty, S. N., Soni, M., ... & Gheisari, M. (2021). Ubiquitous vehicular ad-hoc network computing using deep neural network with iot-based bat agents for traffic management. Electronics, 10(7), 785.

[21] Manne, S., Lydia, E. L., Pustokhina, I. V., Pustokhin, D. A., Parvathy, V. S., & Shankar, K. (2021). An intelligent energy management and traffic predictive model for

autonomous vehicle systems. Soft Computing, 1-13.
[22] Al-Otaibi, S. T., Al-Rasheed, A., Mansour, R. F., Yang, E., Joshi, G. P., & Cho, W. (2021). Hybridization of Metaheuristic Algorithm for Dynamic Cluster-based Routing Protocol in Wireless Sensor Networks. IEEE Access.
[23] Gupta, D., & Ahlawat, A. K. (2016). Usability determination using multistage fuzzy system. Procedia Computer Science, 78, 263-270.
[24] Amiri, I. S., Palai, G., Alzubi, J. A., & Nayak, S. R. (2020). Chip to chip communication through the photonic integrated circuit: A new paradigm to optical VLSI. Optik, 202, 163588.
[25] Satpathy, S., Mangla, M., Sharma, N., Deshmukh, H., & Mohanty, S. (2021). Predicting mortality rate and associated risks in COVID-19 patients. Spatial Information Research, 1-10.
[26] Rajagopal, A., Ramachandran, A., Shankar, K., Khari, M., Jha, S., & Joshi, G. P. Optimal routing strategy based on extreme learning machine with beetle antennae search algorithm for Low Earth Orbit satellite communication networks. International Journal of Satellite Communications and Networking.
[27] Mansour, R. F., Escorcia-Gutierrez, J., Gamarra, M., Villanueva, J. A., & Leal, N. (2021). Intelligent video anomaly detection and classification using faster RCNN with deep reinforcement learning model. Image and Vision Computing, 104229.
[28] Gupta, D., Arora, J., Agrawal, U., Khanna, A., & de Albuquerque, V. H. C. (2019). Optimized Binary Bat algorithm for classification of white blood cells. Measurement, 143, 180-190.
[29] Alrabea, A., Alzubi, O. A., & Alzubi, J. A. (2019). A task-based model for minimizing energy consumption in WSNs. Energy Systems, 1-18.
[30] Sharma, N., Dev, J., Mangla, M., Wadhwa, V. M., Mohanty, S. N., & Kakkar, D. (2021). A heterogeneous ensemble forecasting model for disease prediction. New Generation Computing, 1-15.
[31] Shankar, K., & Perumal, E. (2020). A novel hand-crafted with deep learning features based fusion model for COVID-19 diagnosis and classification using chest X-ray images. Complex & Intelligent Systems, 1-17.
[32] Mansour, R. F., & Al-Marghilnai, A. (2021). Glaucoma detection using novel perceptron based convolutional multi-layer neural network classification. Multidimensional Systems and Signal Processing, 1-19.
[33] Gupta, D., Ahlawat, A., & Sagar, K. (2014, November). A critical analysis of a hierarchy based Usability Model. In 2014 international conference on contemporary computing and informatics (IC3I) (pp. 255-260). IEEE.
[34] Alzubi, O. A., Alzubi, J. A., Dorgham, O., & Alsayyed, M. (2020). Cryptosystem design based on Hermitian curves for IoT security. The Journal of Supercomputing, 76(11), 8566-8589.
[35] Sahu, B., & Mohanty, S. N. (2021). CMBA-SVM: a clinical approach for Parkinson disease diagnosis. International Journal of Information Technology, 13(2), 647-655.
[36] Nguyen, G. N., Le Viet, N. H., Devaraj, A. F. S., Gobi, R., & Shankar, K. (2020). Blockchain enabled energy efficient red deer algorithm based clustering protocol for pervasive wireless sensor networks. Sustainable Computing: Informatics and Systems, 28, 100464.
[37] Mansour, R. F., Al-Otaibi, S., Al-Rasheed, A., Aljuaid, H., Pustokhina, I., & Pustokhin, D. A. (2021). An Optimal Big Data Analytics with Concept Drift Detection on High-Dimensional Streaming Data. CMC-COMPUTERS MATERIALS & CONTINUA, 68(3), 2843-2858.
[38] Le, D. N., Parvathy, V. S., Gupta, D., Khanna, A., Rodrigues, J. J., & Shankar, K. (2021). IoT enabled depthwise separable convolution neural network with deep support vector machine for COVID-19 diagnosis and classification. International Journal of Machine Learning and Cybernetics, 1-14.
[39] Alzubi, J. A., Manikandan, R., Alzubi, O. A., Qiqieh, I., Rahim, R., Gupta, D., & Khanna, A. (2020). Hashed Needham Schroeder industrial IoT based cost optimized deep secured data transmission in cloud. Measurement, 150, 107077.
[40] Sankhwar, S., Pandey, D., Khan, R. A., & Mohanty, S. N. (2021). An anti-phishing enterprise environ model using feed-forward backpropagation and Levenberg-Marquardt method. Security and Privacy, 4(1), e132.
[41] Pustokhina, I. V., Pustokhin, D. A., Rodrigues, J. J., Gupta, D., Khanna, A., Shankar, K., ... & Joshi, G. P. (2020). Automatic vehicle license plate recognition using optimal K-means with convolutional neural network for intelligent transportation systems. IEEE Access, 8, 92907-92917.
[42] Bharathi, R., Abirami, T., Dhanasekaran, S., Gupta, D., Khanna, A., Elhoseny, M., & Shankar, K. (2020). Energy efficient clustering with disease diagnosis model for IoT based sustainable healthcare systems.

Sustainable Computing: Informatics and Systems, 28, 100453.

[43] . Alzubi, O. A., Alzubi, J. A., Alweshah, M., Qiqieh, I., Al-Shami, S., & Ramachandran, M. (2020). An optimal pruning algorithm of classifier ensembles: dynamic programming approach. Neural Computing and Applications, 32(20), 16091-16107.

[44] Dash, L., Das, S., Mohanty, S., Rahman, F. H., Sahoo, S. K., & Mishra, S. N. (2020). Platform Based Housing System Improved Health and Reduced Mortality Percentage of Goats in Flood Prone Area of Coastal Odisha. Advances in Research, 10-17.

[45] Yang, E., Parvathy, V. S., Selvi, P. P., Shankar, K., Seo, C., Joshi, G. P., & Yi, O. (2020). Privacy Preservation in Edge Consumer Electronics by Combining Anomaly Detection with Dynamic Attribute-Based Re-Encryption. Mathematics, 8(11), 1871.

[46] Gupta, D., & Ahlawat, A. K. (2017). Usability feature selection via MBBAT: a novel approach. Journal of computational science, 23, 195-203.

[47] Aljehane, Nojood O., and Romany F. Mansour. "Big data analytics with oppositional moth flame optimization based vehicular routing protocol for future smart cities." Expert Systems (2021): e12718

[48] Alzubi, J. A., Jain, R., Kathuria, A., Khandelwal, A., Saxena, A., & Singh, A. (2020). Paraphrase identification using collaborative adversarial networks. Journal of Intelligent & Fuzzy Systems, (Preprint), 1-12.

[49] Alphonse, A. S., Shankar, K., Rakkini, M. J., Ananthakrishnan, S., Athisayamani, S., Singh, A. R., & Gobi, R. (2020). A multi-scale and rotation-invariant phase pattern (MRIPP) and a stack of restricted Boltzmann machine (RBM) with preprocessing for facial expression classification. Journal of Ambient Intelligence and Humanized Computing, 1-17.